

# Base de donnée secours Parapente 360.com



Marque	Modèle	Type	Surface m <sup>2</sup>	PTV max	Poids en gr	Volume en L	TC en m/s	
777	Keeper FG + 31	Rond	31	90	1200	NC	5,2	
777	Keeper FG + 35	Rond	35	110	1655	NC	5,1	
777	Keeper FG + 56	Rond	56	180	2400	NC	5,5	
777	Keeper FH Q	Carré	25	90	950	NC	5	
777	Keeper FH Q	Carré	28	100	1200	NC	4,5	
777	Keeper FH Q	Carré	36	120	1400	NC	4,5	
Advance	SQR Classic 100	Rond/carré	25,4	100	1258	5,2	5,4	
Advance	SQR Classic 100	Rond/carré	32,4	120	1534	5,6	5,4	
Advance	SQR Classic 140	Rond/carré	37,8	140	1707	5,9	5,4	
Advance	SQR Classic 230	Rond/carré	62,6	230	2543	9,4	4,9	
Advance	SQR Light 80	Rond/carré	20,3	80	834	2,8	5,3	
Advance	SQR Light 100	Rond/carré	25,4	100	973	3,5	5,4	
Advance	SQR Light 120	Rond/carré	32,4	120	1171	4	5,4	
Advance	SQR Light 150	Rond/carré	38,9	150	1445	5,5	5,2	
Advance	SQR Light 190	Rond/carré	53,8	190	1937	6,5	5,1	
Advance	SQR Prime 100	Rond/carré	27,8	100	1307	5,3	5	
Advance	SQR Prime 120	Rond/carré	34,8	120	1588	5,7	5,2	
Advance	SQR Prime 140	Rond/carré	40	140	1758	6	5,2	
Air Design	Donut 90 SL	Carré	22,2	90	810	3,16	5,49	
Air Design	Donut 100	Carré	25,55	100	1300	3,51	5,17	
Air Design	Donut 120	Carré	32,58	120	1600	3,78	4,9	
Air Design	Donut 220	Carré	64	220	2300	8,55	5,35	
Air Vuisa	Snowflake 90	Carré	27	90	890	NC	NC	
Air Vuisa	Snowflake 105	Carré	32,64	105	1180	NC	5,2	
Air Vuisa	Snowflake 125	Carré	40,6	125	1720	NC	5,4	
Air Vuisa	Snowflake 150	Carré	46,4	150	1760	NC	5,2	

Air Vuisa	V-Series 105	Rond	29,5	105	1260	NC	6,2	5,4 à 90 kg
Air Vuisa	V-Series 125	Rond	41,6	125	1660	NC	5,8	5,4 à 115 kg
Apco	Guided Mayday	Rogallo	39	125	2900	5,95	2,8	
Apco	Guided Mayday SLT	Rogallo	36	130	1950	5	3,8	
Apco	Mayday 16	Rond	23	106	1890	4	6,3	
Apco	Mayday 18	Rond	30,4	120	2220	4,95	5,4	
Apco	Mayday 20	Rond	37	160	2690	5,4	5,4	
Apco	Mayday Bi	Rond	48	200	3250	6,1	5,4	
Apco	Mayday Light 16	Rond	23	100	1490	3,55	6,15	
Apco	Mayday Light 18	Rond	30,4	120	1922	4,8	5,1	
Apco	Mayday Light 20	Rond	37,5	140	2300	5	4,48	
Apco	Mayday Superlight 16	Rond	23	100	1220	3,1	6,15	
Apco	Mayday Superlight 18	Rond	30,4	115	1597	3,95	5,1	
Apco	Mayday Superlight 20	Rond	37,5	130	2093	4,75	4,48	
Apco	Mayday Square	Carré	25	120	1010	3	5,6	
BGD	Oops 90	Rond	24	90	NC	NC	NC	
BGD	Oops 110	Rond	29,2	110	NC	NC	NC	
BGD	Oops 135	Rond	35,8	135	NC	NC	NC	
BGD	Oops 210 (Lite)	Rond	55,8	210	NC	NC	NC	
BGD	Wow 90	Carré	22,5	90	NC	NC	NC	
BGD	Wow 110	Carré	27,5	110	NC	NC	NC	
BGD	Wow 130	Carré	32,5	135	NC	NC	NC	
Bogdan Fly	Reserve 23	Carré	23	90	950	2,9	4,9	
Bogdan Fly	Reserve 29	Carré	29	110	1190	3,99	5,13	
Dudek	Globe 90	Rond	28	90	1800	NC	5,5	
Dudek	Globe 120	Rond	37,15	120	2350	NC	5,5	
Dudek	Globe 160	Rond	53	160	3120	NC	5,5	
Dudek	Globe light 90	Rond	22,5	90	1400	NC	5,5	
Dudek	Globe light 110	Rond	26,3	110	1550	NC	5,5	





Dudek	Globe light 135	Rond	32,5	135	1850	NC	5,5	
Dudek	Globe light Bi	Rond	55,9	210	2800	NC	5,5	
Dudek	Quad 160	Carré	40	160	1700	5,3	5,35	
Gin	G-Lite 32	Rond	31	105	1700	5,6	NC	
Gin	G-Lite 39	Rond	38	130	2100	5,9	NC	
Gin	Yeti Cross 26	Carré	26,07	86	1300	4,1	5	
Gin	Yeti Cross 32	Carré	31,62	104	1500	4,6	4,8	
Gin	Yeti Cross 38	Carré	38,08	126	1700	5,1	4,8	
Gin	Yeti Rescue 27	Rond	26,9	80	1250	3,7	5,07	
Gin	Yeti Rescue 35	Rond	34,2	100	1500	4	5,03	
Gin	Yeti Rescue 40	Rond	40	120	1750	4,5	5,13	
Gin	Yeti Rescue 45	Rond	45	150	2030	6,4	5,25	
Gin	Yeti Rescue 50	Rond	50,2	180	2600	7,7	5,2 à 160 kg	5,5 à 180 kg
Gin	Yeti Rescue 60	Rond	60,96	220	3100	8,6	5,17	
Gin	Yeti UL S	Carré	19	85	870	2,025	5,3	
Gin	Yeti UL M	Carré	23	100	990	2,475	5,2	
Gin	Yeti UL L	Carré	27	120	1170	3,006	5,1	
Icaro	Alba 85	Rond	23,9	85	1400	3,018	5,45	
Icaro	Alba 105	Rond	29	105	1650	3,458	5,4	
Icaro	Alba 130	Rond	35,8	130	1950	3,85	5,45	
Icaro	Square 115	Carré	36,2	115	1300	5,76	5,46	
Icaro	Lite biplace	Rond	66	220	2900	NC	6,5	
Independence	Annular Classic 30	Rond	65	200	3900	NC	6,8	
Independence	Annular Classic 36	Rond	67	250	4200	NC	6,8	
Independence	Annular Classic 38	Rond	78	300	5300	NC	6,8	
Independence	Annula Evo 20	Rond	32	100	1550	NC	5,45	
Independence	Annula Evo 22	Rond	36	120	1800	NC	5,67	
Independence	Annula Evo 24	Rond	40	135	2000	NC	6,2	
Independence	Annula Evo 30	Rond	65	195	3100	NC	6,1	
Independence	Control 130	Rogallo	41	130	1840	NC	<4	



Independence	Cornetto 100	Carré	28,04	100	1400	NC	5 à 80 kg	5,9 à 100 kg
Independence	Cornetto 140	Carré	32,37	140	1650	NC	5,1 à 120 kg	5,8 à 140 kg
Independence	Evo Cross 100	Carré	25,06	100	1500	NC	4,9	
Independence	Evo Cross 120	Carré	36,81	120	1900	NC	4,7	
Independence	Evo Cross 160	Carré	41,12	160	2400	NC	5,5	
Independence	Evo Cross 235	Carré	57	235	3100	NC	5,5	
Independence	NG 100	Carré	25	100	1450	NC	5,28	
Independence	NG 120	Carré	29	120	1600	NC	5,14	
Independence	NG 140	Carré	33	140	1850	NC	5,37	
Independence	NG light 100	Carré	25	100	1180	NC	5,1	
Independence	NG light 120	Carré	29	120	1300	NC	5,16	
Independence	NG light 140	Carré	33	140	1490	NC	5,45	
Independence	Smart	Rond	38,4	100	1800	NC	6,3	
Independence	Trigon 100	Triangulaire	32	100	1290	NC	5,3	
Independence	Trigon 125	Triangulaire	37	125	1450	NC	5,4	
Independence	Ultra Cross 75	Carré	21,5	75	790	NC	5,5	
Independence	Ultra Cross 100	Carré	25	100	975	NC	4,61	
Independence	Ultra Cross 125	Carré	33	125	1195	NC	5,1	
Independence	Ultra Cross 150	Carré	40,33	150	1585	NC	5,3	
Independence	Ultra Cross 210	Carré	54,81	212	2300	NC	5,45	
Kortel	Karré 100	Carré	25,2	100	1170	3,9	4,6	
Kortel	Karré 125	Carré	30,7	125	1390	4,7	4,5	
Kortel	Karré 160	Carré	41	160	1780	5,3	4,8	
Kortel	Karré 220	Carré	59,2	220	2520	7,3	4,6	
Kortel	Krisis Rogallo II	Rogallo	41,75	130	1840	4,959	3,8	
Mac Para T	Aegis 30	Rond	30	95	1950	6,35	5	
Mac Para T	Aegis 33	Rond	33	105	2300	6,8	5	
Mac Para T	Aegis 38	Rond	38	125	2500	8,6	5,4	
Mac Para T	Aegis 63	Rond	63	225	4200	9,7	5,2	
Mac Para T	Aegis light 30	Rond	30	95	1500	4,3	5	
Mac Para T	Aegis light 33	Rond	33	105	1700	4,6	5	



Mac Para T	Aegis light 38	Rond	38	125	1900	5,8	5,4	
Mac Para T	Aegis light 45	Rond	45	155	2100	6,1	5,4	
Mac Para T	Aegis light 63	Rond	63	225	3100	6,5	5,2	
Mac Para T	Houston 125	Carré	30,7	125	1390	4,7	4,5	
Mac Para T	Houston 160	Carré	41	160	1780	5,3	4,8	
Nervures	Plum II 90	Triangle	26	90	950	3,1	5,39	
Nervures	Plum II 110	Triangle	30,5	110	1100	4	5,49	
Nervures	Plum II 130	Triangle	35,7	130	1250	4,6	5,47	
Nervures	Plum II 220	Triangle	63,9	220	2250	7	5,35	
Niviuk	Cires 110	Rond	32,9	110	1700	NC	5,01	
Niviuk	Cires 135	Rond	40,2	135	2100	NC	4,61	
Niviuk	Cires 210	Rond	60,1	215	3300	NC	5,2	
Niviuk	Octagon S	Carré	26	80	1100	NC	4,9	
Niviuk	Octagon M	Carré	31,9	100	1300	NC	4,9	
Niviuk	Octagon L	Carré	38,4	120	1500	NC	4,9	
Niviuk	Octagon XL	Carré	44,7	140	1725	NC	4,9	
Niviuk	Octagon XXL	Carré	54,6	170	2480	NC	4,9	
Niviuk	Octagon Tandem	Carré	67,1	215	2920	NC	4,9	
Niviuk	Octagon 2 S	Carré	24,11	80	1160	NC	4,8	
Niviuk	Octagon 2 M	Carré	29,59	100	1400	NC	4,8	
Niviuk	Octagon 3 L	Carré	35,63	120	1620	NC	4,8	
Niviuk	Octagon 2 XL	Carré	41,49	140	1850	NC	4,8	
Niviuk	Octagon 32 XXL	Carré	52,49	170	2650	NC	4,8	
Niviuk	Octagon 2 Tandem	Carré	60,02	215	3140	NC	4,8	
Nova	Beamer 3 100	Rogallo	35,47	90	1640	4,432	3,7	
Nova	Beamer 3 130	Rogallo	41,75	130	1835	4,959	3,8	
Nova	Beamer 3 170	Rogallo	58	170	2705	7,31	3,6	
Nova	Beamer 3 light 100	Rogallo	35,47	90	1230	3,324	3,7	
Nova	Beamer 3 light 130	Rogallo	41,75	130	1420	3,837	3,8	
Nova	Beamer 3 light 170	Rogallo	58	170	2240	6,058	3,6	

Nova	Pentagon 100	Pentagone	27	100	1265	3,5	5,46	
Nova	Pentagon 120	Pentagone	32	120	1450	4,3	5,2	
Nova	Pentagon 145	Pentagone	37	145	1870	5	5,49	
Ozone	Angel SQ 100	Carré	29,1	100	1240	NC	5,4	
Ozone	Angel SQ 120	Carré	34,8	120	1540	NC	5,4	
Ozone	Angel SQ 140	Carré	40,7	140	1770	NC	5,4	
Ozone	Angel SQ 220	Carré	63,8	220	2640	NC	5,4	
Ozone	Angel SQ Pero 85	Carré	26,1	85	870	NC	5,4	
Ozone	Angel SQ Pro 100	Carré	29,1	100	920	NC	5,43	
Ozone	Angel SQ Pro 120	Carré	34,8	120	1170	NC	5,39	
Ozone	Angel V2 90	Rond	25	90	1360	NC	5,2	
Ozone	Angel V2 110	Rond	29	110	1560	NC	5,2	
Ozone	Angel V2 140	Rond	37	140	1900	NC	5,24	
Sky Paragliders	Quatro 90	Carré	22,5	90	1200	3,5	4,9	
Sky Paragliders	Quatro 110	Carré	27,5	110	1400	3,7	5,25	
Sky Paragliders	Quatro 130	Carré	32,5	130	1700	4,9	5,4	
Sky Paragliders	Quatro light 90	Carré	18,85	90	900	2,6	5,5	
Sky Paragliders	Quatro light 110	Carré	23	110	1050	2,9	5,5	
Sky Paragliders	Quatro light 130	Carré	27,3	130	1200	3,7	5,5	
Sky Paragliders	Quatro light 160	Carré	40	160	1700	5,3	5,35	
Sky Paragliders	Sky Drive II	Rogallo	38	135	1850	NC	5	
Sky Paragliders	Sky Lite M	Rond	20,6	80	990	2,4	5,5	
Sky Paragliders	Sky Lite L	Rond	24,5	95	1170	2,8	5,5	
Sky Paragliders	Sky Lite XL	Rond	29,1	115	1370	3	5,5	
Sky Paragliders	Sky Lite Bi	Rond	55,9	210	2650	6,5	5,5	
Sky Paragliders	Sky System 3 90	Rond	22,5	86	1400	3,3	5,31	
Sky Paragliders	Sky System 3 110	Rond	26,3	105	1550	3,7	5,36	
Sky Paragliders	Sky System 3 135	Rond	32,5	130	1850	4,6	5,47	
Skywalk	Tapa X-Alps 90	Carré	24,8	90	784	2	5,3	
Skywalk	Tapa X-Alps 105	Carré	28,05	105	895	2,6	5,3	





Skywalk	Tapa X-Alps 125	Carré	32,59	125	1070	2,9	5,3	
Skywalk	Peper Cross light 90	Carré	26,9	90	990	3,8	5,2	
Skywalk	Peper Cross light 110	Carré	32,5	110	1140	4,2	5,45	
Skywalk	Peper Cross light 135	Carré	40,1	135	1440	5,6	5,45	
Skywalk	Peper Cross light 180	Carré	52,9	180	1920	6	5,45	
Skywalk	Peper Cross light 225	Carré	65,5	225	2260	6,9	5,4	
Sol	Savemax 33	Rond	33	110	1900	NC	4,91	
Sol	Savemax 37	Rond	37	125	2200	NC	4,3	
Sol	Squad light 32	Carré	32	95	1430	3,3	5	
Sol	Squad light 35	Carré	35	110	1630	4,1	5	
Sol	Squad Light 38	Carré	38	125	1780	5	5	
Sol	Squad Light 42	Carré	42	140	1960	5,8	5,3	
Sol	Squad Light 57	Carré	57	220	3000	9	5,3	
Supair	Fluid S	Carré	26,7	85	1490	4	NC	
Supair	Fluid M	Carré	33,3	100	1660	5	NC	
Supair	Fluid L	Carré	38,8	125	1960	6	NC	
Supair	Fluid light EVO S	Carré	NC	90	1000	4,1	5,42	
Supair	Fluid light EVO M	Carré	NC	105	1190	4,8	5,47	
Supair	Fluid light EVO L	Carré	NC	125	1260	5,3	5,37	
Supair	Flui light EVO Tandem	Carré	NC	220	2400	8,4	4,61	
Supair	Shine S	Rond	28,1	85	1100	2,9	NC	
Supair	Shine M	Rond	31,15	105	1250	3,8	NC	
Supair	Shine L	Rond	38,94	125	1540	4,7	NC	
Supair	Start Biplace	Rond	65,75	215	3650	10,2	NC	

Swing	Escape M	Rond	22	105	1000	NC	6,4	
Swing	Escape L	Rond	30	110	1500	NC	5,2	
Swing	Escape XL	Rond	34	125	1700	NC	5,3	
Swing	Orange Cross S	Carré	34	100	1400	NC	6,4	
Swing	Orange Cross M	Carré	38	120	1700	NC	5,2	
Swing	Orange Cross L	Carré	44	155	2000	NC	5,3	



Windtech	Wind SOS 31	Rond	31	105	1600	NC	4,4	
Windtech	Wind SOS 35	Rond	35	120	1800	NC	4,4	
Windtech	Wind SOS 48	Rond	48	220	2500	NC	4,7	
Windtech	Wind SOS Cube 100	Carré	26	100	1250	3,05	5,3	
Windtech	Wind SOS Cube 120	Carré	32,5	120	1490	3,408	5,3	
Windtech	Wind SOS Ultralite S	Rond	20,5	85	1000	NC	5	
Windtech	Wind SOS Ultralite M	Rond	24	100	1200	NC	5	
Windtech	Wind SOS Ultralite L	Rond	32	115	1400	NC	5	
Windtech	Wind SOS Drive M	Rogallo	35,1	110	1620	4,458	3,8	
Windtech	Wind SOS Drive L	Rogallo	39	130	1840	4,95	3,75	

X-Dream Fly	X-Curve 130	Rogallo	37,4	130	1700	5,3	3,5	
X-Dream Fly	X-One 90	Carré	26	90	950	2,9	NC	
X-Dream Fly	X-One 120	Carré	34,5	120	1450	4,98	5,98 à 120 kg	5,49 à 105 kg
X-Dream Fly	X-One 120 Update 2018	Carré	34,5	120	1240	4,6	5,98 à 120 kg	5,49 à 105 kg
X-Dream Fly	X-One 160	Carré	44	160	1950	5,6	6,02 à 160 kg	5,39 à 140 kg
X-Dream Fly	X-One 160 update 2018	Carré	44	160	1640	5,2	6,02 à 160 kg	5,39 à 140 kg
X-Dream Fly	X-Triangle 100	Triangle	28,8	100	1150	3,5	5,47	
X-Dream Fly	X-Triangle 125	Triangle	35,9	125	1450	4,9	5,43	
X-Dream Fly	X-Triangle 160	Triangle	44,8	160	1700	5,45	5,42	
X-Dream Fly	X-Triangle 220	Triangle	63,9	220	3440	7	5,4	
X-Dream Fly	X-Two 90	Triangle	26	90	950	3,1	5,39	
X-Dream Fly	X-Two 110	Triangle	30,5	110	1100	4	5,49	
X-Dream Fly	X-Two 130	Triangle	35,7	130	1250	4,6	5,47	
X-Dream Fly	X-Two 220	Triangle	63,9	220	2250	7	5,35	